



Tire & Wheel Components

Tire, Wheel & Components

- Tires
- Wheels
- Tire Wheel Combos
- Tire & Wheel Accessories



Tires

8 in. Tires

A: Ply B: OD C: Width D: Weight Cap E: Load Range F: Type



18.5 x 8.5-8"



4.80 x 4.0-8"

| Item Number | Description | SO | A | B | C | D | E | F |
|--------------|------------------------------|-----|-----|--------|-------|--------|-----|------|
| 510981 | Tire Smooth Carlisle 9x8 5x8 | Yes | --- | --- | --- | --- | --- | --- |
| T-18.5X8.5-8 | Tire 18.5x8.5-8 | | 6 | 18.2in | 8.5in | 940lbs | C | Bias |
| T-480-8-C | Tire 480-8 | | 6 | 16.7 | 4.9in | 745lbs | C | Bias |
| T-570-8-C | Tire 570-8 | | 6 | 18.5in | 5.9in | 910lbs | C | Bias |

10 in. Tires

A: Ply B: OD C: Width D: Weight Cap E: Load Range F: Type



| Item Number | Description | A | B | C | D | E | F |
|----------------|----------------|----|--------|-----|---------|---|------|
| T-20.5X8X10LRD | Tire 20.5x8-10 | 8 | 20.5in | 8in | 1330lbs | D | Bias |
| T-20.5X8X10LRE | Tire 20.5x8-10 | 10 | 20.6in | 8in | 1535lbs | E | Bias |

12 in. Tires

A: Ply B: OD C: Width D: Weight Cap E: Load Range F: Type



| Item Number | Description | SO | A | B | C | D | E | F |
|-------------|----------------------|-----|-----|--------|-------|---------|-----|------|
| DS7083 | Tire Turf 23x10.5x12 | Yes | --- | --- | --- | --- | --- | --- |
| T-480-12-C | Tire 480-12 | | 6 | 20.5in | 4.9in | 990lbs | C | Bias |
| T-530-12-C | Tire 530-12 | | 6 | 21.4in | 5.5in | 1045lbs | C | Bias |

13 in. Tires

A: Ply B: OD C: Width D: Weight Cap E: Load Range F: Type



| Item Number | Description | SO | A | B | C | D | E | F |
|---------------|---------------------------|-----|-----|--------|-------|---------|-----|--------|
| ST175/80R13C | Tire ST175-80R13 Import | | 6 | 23.9in | 7.2in | 1360lbs | C | Radial |
| T-185-13CTL | Tire ST185/B13 | | --- | 13 | --- | --- | --- | Bias |
| T-B78-13 | Tire ST175/80 D13 | | 6 | 24in | 7in | 1360lbs | C | Bias |
| T-ST175/80R13 | Tire ST175-80R13 Marathon | | 6 | 24in | 7in | 1360lbs | C | Radial |
| T-ST185/80R13 | Tire ST185/80R13 Marathon | Yes | --- | 24.7in | --- | 1480lbs | C | Radial |

14 in. - 14.5 in Tires

A: Ply B: OD C: Width D: Weight Cap E: Load Range F: Type



| Item Number | Description | SO | A | B | C | D | E | F |
|----------------|---------------------------|-----|-----|--------|-------|---------|---|--------|
| ST205/75R14C | Tire ST205-75R14 Import | | 6 | 26.1in | 8in | 1760lbs | C | Radial |
| ST215/75R14C | Tire ST215-75R14 Import | Yes | --- | --- | --- | --- | C | Radial |
| T-8-14.5LT | Tire 8-14.5LT | | 12 | 27.9in | 8in | 2790lbs | F | Bias |
| T-F78X14 | Tire ST205/75 D14 | | 6 | 26.5in | 7.9in | 1760lbs | C | Bias |
| T-ST205/75R14 | Tire ST205-75R14 Marathon | | 6 | 26.1in | 8in | 1760lbs | C | Radial |
| T-ST215/75R14C | Tire ST215/75R14 Marathon | | 6 | 26.7in | 8.5in | 1870lbs | C | Radial |

Tires

15 in. Tires

A: Ply **B:** OD **C:** Width **D:** Weight Cap **E:** Load Range **F:** Type

| Item Number | Description | SO | A | B | C | D | E | F |
|-----------------------|---------------------------------|-----|------|--------|-------|---------|------|--------|
| 9.5LX15IMP | Tire 9.5 L X 15 Implement 5 Rib | Yes | 8 | ---- | ---- | ---- | ---- | ---- |
| ST205/75R15C | Tire ST205-75R15 Import | | 6 | 27in | 8.1in | 1820lbs | C | Radial |
| ST225/75R15D | Tire ST225-75R15 Import | | 8 | 28.3in | 8.8in | 2540lbs | D | Radial |
| T-11L-15 | Tire 11L -15 Rib Tractor | Yes | 8 | ---- | ---- | ---- | ---- | ---- |
| T-205/85D15D | Tire ST 205/85D15 | | ---- | ---- | ---- | ---- | D | Bias |
| T-700-15LT | Tire 700-15 | | 8 | 29.6in | 8in | 2040lbs | D | Bias |
| T-700-15ST | Tire 700-15 | | 8 | 29.6in | 8in | 2040lbs | D | Bias |
| T-F78X15C | Tire ST205/75 D15 | | 6 | 27.3in | 7.8in | 1820lbs | C | Bias |
| T-H78-15STD | Tire ST225/75 D15 | | 8 | 28.3in | 8.6in | 2540lbs | D | Bias |
| T-ST205/75R15C | Tire ST205-75R15 Marathon | | 6 | 27.1in | 8in | 1820lbs | C | Radial |
| T-ST225/75R15C | Tire ST225-75R15 Marathon | | 6 | 28.3in | 8.8in | 2150lbs | C | Radial |
| T-ST225/75R15D | Tire ST225-75R15 Marathon | | 8 | 28.3in | 8.8in | 2540lbs | D | Radial |



16 in. Tires

A: Ply **B:** OD **C:** Width **D:** Weight Cap **E:** Load Range **F:** Type

| Item Number | Description | SO | A | B | C | D | E | F |
|-----------------------|-----------------------------------|-----|------|---------|--------|---------|------|--------|
| ST235/80R16E | Tire ST235-80R16 Import | | 10 | 30.8in | 9.5in | 3500lbs | E | Radial |
| T12.5-16SL | Tire 12.5 -16SL High Flotation | Yes | 12 | ---- | ---- | ---- | ---- | ---- |
| T-215/85D16E | Tire ST 215/85D16 | | ---- | ---- | ---- | ---- | E | Bias |
| T-235/85R16LT | Tire LT235-85R16 | | 10 | 31.7in | 9.7in | 3042lbs | E | Radial |
| T-750-16F | Tire 7.50-16 | | 12 | 31.69in | 8.46in | 3070lbs | F | Bias |
| T-750-16GLT | Tire LT750-16 | Yes | 14 | ---- | ---- | ---- | G | ---- |
| T-750-16LT | Tire 7.50-16 | | 10 | 31.69in | 8.46in | 2750lbs | E | Bias |
| T-750-16ST | Tire 7.50-16 | | 10 | 31.69in | 8.46in | 2750lbs | E | Bias |
| T-G614 | Tire 235 85/16LT Goodyear | Yes | ---- | ---- | ---- | ---- | G | ---- |
| T-LT235/85R16E | Tire 235/85R16E Goodyear Wrangler | Yes | ---- | ---- | ---- | ---- | ---- | ---- |
| T-ST235/80R16E | Tire ST235/80R16 Marathon | Yes | ---- | ---- | ---- | ---- | E | Radial |



16.5 in. - 22.5 in. Tires

A: Ply **B:** OD **C:** Width **D:** Weight Cap **E:** Load Range **F:** Type

| Item Number | Description | SO | A | B | C | D | E | F |
|---------------------|-----------------------------|-----|------|--------|--------|---------|------|--------|
| T-1200165 | Tire 12-16.5LT | | 12 | 31.6in | 12.1in | 4045lbs | F | Bias |
| T-16.9RX26 | Tire 16.9r x 26 Tractor | Yes | ---- | ---- | ---- | ---- | ---- | Radial |
| T-20.8X34 | Tire 20.8 x 34 Tube Tractor | Yes | 8 | ---- | ---- | ---- | ---- | Bias |
| T-875X16.5LT | Tire 875 -16.5 LT | Yes | 10 | 29.6in | 8.8in | 2680lbs | ---- | Bias |
| T-950-16.5LT | Tire 9.50 X 16.5 LT | Yes | 10 | 31.4in | 9.84in | 3170lbs | ---- | Bias |



Notes:



Tire & Wheel Components

Wheels 8 in. Wheels



W8375440OW W87440OW

A: Bolt Pattern **B:** Width **C:** OD **D:** Pilot Hole **E:** Offset **F:** Weight Cap

| Item Number | Description | Color | A | B | C | D | E | F |
|-------------|------------------|-------|----------|--------|-----|--------|---|---------|
| W8375440OW | Wheel 8x3.75 OEM | White | 4 on 4 | 3.75in | 8in | 2.75in | 0 | 1075lbs |
| W837545OW | Wheel 8x3.75 OEM | White | 5 on 4.5 | 3.75in | 8in | 2.75in | 0 | 1075lbs |
| W87440OW | Wheel 8x7 OEM | White | 4 on 4 | 7in | 8in | 2.75in | 0 | 950lbs |
| W87545OW | Wheel 8x7 OEM | White | 5 on 4.5 | 7in | 8in | 2.75in | 0 | 950lbs |

10 in. Wheels



W106440OW W106545OW

A: Bolt Pattern **B:** Width **C:** OD **D:** Pilot Hole **E:** Offset **F:** Weight Cap

| Item Number | Description | Color | SO | A | B | C | D | E | F |
|-------------|---------------------------|------------|-----|----------|-----|------|--------|------|---------|
| 1585000301 | Wheel Plain 2500 10x6 4.0 | ---- | Yes | 5 on 5.5 | 6in | 10in | 2.75in | ---- | 1800lbs |
| W106440OW | Wheel 10x6 OEM | White | | 4 on 4 | 6in | 10in | 2.75in | 0 | 1200lbs |
| W106545OW | Wheel 10x6 OEM | White | | 5 on 4.5 | 6in | 10in | 2.75in | 0 | 1800lbs |
| W11-0612 | Wheel Solid | Galvanized | Yes | 5 on 4.5 | 6in | 10in | 2.75in | ---- | 1800lbs |

12 in. Wheels



W12440SW W124545SW

A: Bolt Pattern **B:** Width **C:** OD **D:** Pilot Hole **E:** Offset **F:** Weight Cap

| Item Number | Description | Color | SO | A | B | C | D | E | F |
|-------------|------------------------|------------|-----|----------|-----|------|---------|---------|---------|
| W12440SW | Wheel 12x4 Spoke | White | | 4 on 4 | 4in | 12in | 2.75in | 0 | 1220lbs |
| W124545MW | Wheel 12x4 Modular | White | | 5 on 4.5 | 4in | 12in | 2.875in | 0 | 1220lbs |
| W124545SW | Wheel 12x4 Spoke | White | | 5 on 4.5 | 4in | 12in | 2.875in | 0 | 1220lbs |
| W124545GM | Wheel 12 x 4.5 Modular | Galvanized | Yes | 5 on 4.5 | 4in | 12in | 2.75in | -.125in | 1220lbs |
| W128545AW | Wheel 12x8.5 Ag | White | Yes | 5 on 4.5 | 4in | 12in | ---- | ---- | 1220lbs |

Wheels 13 in. Wheels



W134545GM



W1345545SW

A: Bolt Pattern B: Width C: OD D: Pilot Hole E: Offset F: Weight Cap

| Item Number | Description | Color | SO | A | B | C | D | E | F |
|-------------------|-----------------------|------------|-----|----------|-------|------|---------|---|---------|
| W1345440SW | Wheel 13x4.5 Spoke | White | | 4 on 4 | 4.5in | 13in | 2.75in | 0 | 1660lbs |
| W134545GM | Wheel 13x4.5 Modular | Galvanized | | 5 on 4.5 | 4.5in | 13in | 3.25in | 0 | 1660lbs |
| W134545SM | Wheel 13x4.50 Modular | Silver | | 5 on 4.5 | 4.5in | 13in | 3.125in | 0 | 1660lbs |
| W1345545MW | Wheel 13x4.50 Modular | White | | 5 on 4.5 | 4.5in | 13in | 3.125in | 0 | 1660lbs |
| W1345545SW | Wheel 13x4.5 Spoke | White | | 5 on 4.5 | 4.5in | 13in | 3.125in | 0 | 1660lbs |
| W71-3412 | Wheel 13X4.5 Spoke | Galvanized | Yes | 5 on 4.5 | 4.5in | 13in | 3.125in | 0 | 1660lbs |

14 in. - 14.5 in. Wheels



W145MH



W146545GM



W146545MW



W146545SM

A: Bolt Pattern B: Width C: OD D: Pilot Hole E: Offset F: Weight Cap

| Item Number | Description | Color | SO | A | B | C | D | E | F |
|-------------------|--------------------------------|------------|-----|------------|-------|--------|--------|---------|---------|
| 09296 | Wheel | White | Yes | 5 on 5.5 | ---- | 14in | ---- | ---- | |
| W145545MW | Wheel 14X5.5 Modular | White | | 5 on 4.5 | 5.5in | 14in | ---- | ---- | 1870lbs |
| W145545SM | Wheel 14X5.5 Modular | Silver | | 5 on 4.5 | 5.5in | 14in | ---- | ---- | ---- |
| W145545SW | Wheel 14x5.5 Spoke | White | | 5 on 4.5 | 5.5in | 14in | ---- | ---- | 1870 |
| W1456655BW | Wheel 14.5x6 OEM | Black | | 6 on 5.5 | 6in | 14.5in | 4.25in | -.625in | 3000lbs |
| W145MH | Wheel 14.5x6 Clamp-On CA Style | Black | | Centerless | 6in | 14.5in | ---- | ---- | 3000lbs |
| W146545GM | Wheel 14x6 Modular | Galvanized | | 5 on 4.5 | 6in | 14in | 3.3in | 0 | 1870lbs |
| W146545MW | Wheel 14x6 Modular | White | | 5 on 4.5 | 6.5in | 14in | 3.3in | 0 | 1870lbs |
| W146545SM | Wheel 14x6 Modular | Silver | | 5 on 4.5 | 6in | 14in | 3.3in | 0 | 1870lbs |
| W146545SW | Wheel 14x6 Spoke | White | | 5 on 4.5 | 6in | 14in | 3.3in | 0 | 1870lbs |
| W71-4612 | Wheel 14X6 Spoke 3.30 C | Galvanized | Yes | 5 on 4.5 | 6in | 14in | 3.3in | 0 | 1870lbs |
| W75-4612 | Wheel 14X6 Spoke 3.30CH 0 | Chrome | Yes | 5 on 4.5 | 6in | 14in | 3.3in | 0 | 1870lbs |
| W97-4612 | Wheel 14x6 Modular | Chrome | | 5 on 4.5 | 6in | 14in | ---- | ---- | 1870lbs |

Wheels

15 in. Wheels



A: Bolt Pattern B: Width C: OD D: Pilot Hole E: Offset F: Weight Cap

| Item Number | Description | Color | SO | A | B | C | D | E | F |
|--------------|------------------------------|------------|-----|-----------|------|------|---------|---------|---------|
| W15081-0627N | Wheel 15x8 3800 Ag | ---- | Yes | 6 on 6 | 8in | 15in | ---- | ---- | 3800lbs |
| W1510880 | Wheel 15X10 Ag | ---- | Yes | 8 on 8 | 10in | 15in | ---- | ---- | 4500lbs |
| W155545SM | Wheel 15X5 Modular | Silver | | 5 on 4.5 | 5in | 15in | ---- | ---- | 1870lbs |
| W155545SW | Wheel 15x5 Spoke | White | | 5 on 4.5 | 5in | 15in | 3.3in | -.125in | 1870lbs |
| W155550MW | Wheel 15x5 No Rivets Modular | White | Yes | 5 on 5 | 5in | 15in | 3.3in | ---- | 1870lbs |
| W155550SM | Wheel 15x5 No Rivets Modular | Silver | | 5 on 5 | 5in | 15in | 3.3in | 0 | 1870lbs |
| W155550SW | Wheel 15x5 Spoke | White | | 5 on 5 | 5in | 15in | 3.3in | 0 | 1870lbs |
| W1555545MW | Wheel 15X5 Modular | White | | 5 on 4.5 | 5in | 15in | ---- | ---- | ---- |
| W156545AM | Wheel 15x6 w/Rivets Modular | Aluminum | | 5 on 4.5 | 6in | 15in | 3.19in | 0 | 2600lbs |
| W156545CM | Wheel 15x6 w/Rivets Modular | Chrome | | 5 on 4.5 | 6in | 15in | 3.3in | 0 | 2600lbs |
| W156545GM | Wheel 15x6 Modular | Galvanized | | 5 on 4.5 | 6in | 12in | 3.3in | 0 | 2600lbs |
| W156545GS | Wheel 15x6 Spoke | Galvanized | | 5 on 4.5 | 6in | 15in | 3.3in | 0 | 2600lbs |
| W156545MW | Wheel 15x6 No Rivets Modular | White | | 5 on 4.5 | 6in | 15in | 3.2in | 0 | 2600lbs |
| W156545SM | Wheel 15x6 No Rivets Modular | Silver | | 5 on 4.5 | 6in | 15in | 3.3in | 0 | 2600lbs |
| W156545SW | Wheel 15x6 Spoke | White | | 5 on 4.5 | 6in | 15in | 3.3in | 0 | 2600lbs |
| W1565475SW | Wheel 15x6 Spoke | White | | 5 on 4.75 | 6in | 15in | 3.3in | 0 | 2600lbs |
| W156550MW | Wheel 15x6 No Rivets Modular | White | | 5 on 5 | 6in | 15in | 3.3in | 0 | 2600lbs |
| W156550SW | Wheel 15x6 Spoke | White | | 5 on 5 | 6in | 15in | 3.3 | 0 | ---- |
| W156555SW | Wheel 15x6 Spoke | White | | 5 on 5.5 | 6in | 15in | 3.3in | 0 | 2600lbs |
| W156655GM | Wheel 15x6 Modular | Galvanized | Yes | 6 on 5.5 | 6in | 15in | ---- | ---- | 2850lbs |
| W156655MW | Wheel 15x6 Modular | White | | 6 on 5.5 | 6in | 15in | 4.29in | 0 | 2850lbs |
| W156655OB | Wheel 15x6 OEM | Grey | | 6 on 5.5 | 6in | 15in | 4.25in | 0 | 2850lbs |
| W156655SM | Wheel 15x6 Modular | Silver | | 6 on 5.5 | 6in | 15in | 4.25in | 0 | 2850lbs |
| W156655SW | Wheel 15x6 Spoke | White | | 6 on 5.5 | 6in | 15in | 4.28in | 0 | 2850lbs |
| W158545WS | Wheel 15x8 Spoke | White | Yes | 5 on 4.5 | 8in | 15in | ---- | 3.75 | 2600lbs |
| W1823210 | Wheel 15x6 No Rivets Modular | Chrome | Yes | 5 on 4.5 | 6in | 15in | ---- | ---- | 2600lbs |
| W615-6 | Wheel 15x6 Ag | ---- | Yes | 6 on 6.0 | 6in | 15in | ---- | ---- | 3000lbs |
| W71-5660 | Wheel 15x6 Spoke | Galvanized | Yes | 6 on 6.5 | 6in | 15in | ---- | ---- | 2850lbs |
| W75-5612 | Wheel 15x6 Spoke | Chrome | | 5 on 4.5 | 6in | 15in | 3.3in | 0 | 2600lbs |
| W75-5660 | Wheel 15x6 Spoke | ---- | Yes | 6 on 6.5 | 6in | 15in | ---- | ---- | 2850lbs |
| W87056060 | Wheel 15x6 | Aluminum | Yes | 6 on 5.5 | 6in | 15in | ---- | ---- | 2600lbs |
| W95-5660 | Wheel 15X6 No Rivets Modular | Aluminum | Yes | 6 on 5.5 | 6in | 15in | 4.280in | 0 | 2600lbs |
| W97-5650 | Wheel 15x6 w/Rivets Modular | Chrome | | 5 on 5.5 | 6in | 15in | 3.3 | 0 | 2600lbs |
| W97-5660 | Wheel 15x6 w/Rivets Modular | Chrome | | 6 on 5.5 | 6in | 15in | 4.28in | 0 | 2850lbs |
| WY1714960 | Wheel 15x6 Spoke | Silver | Yes | 5 on 4.5 | 6in | 15in | ---- | ---- | 2600lbs |



Notes:

Wheels

16 in. Wheels



W1016-8-73RG



W166655MW



W166655SM



W166865DFS



W97-7660



W166865SM

A: Bolt Pattern **B:** Width **C:** OD **D:** Pilot Hole **E:** Offset **F:** Weight Cap

| Item Number | Description | Color | SO | A | B | C | D | E | F | G |
|---------------------|------------------------------|------------|-----|----------|------|------|---------|---------|-------|---------|
| W1016-8-73RG | Wheel 16x10 Ag | Off White | | 8 on 8 | 10in | 16in | 6in | -1.5 | ---- | 5500lbs |
| W166655MW | Wheel 16x6 Modular | White | | 6 on 5.5 | 6in | 16in | 4.29in | 0 | ---- | 3760lbs |
| W166655OS | Wheel 16x6 OEM | White | | 6 on 5.5 | 6in | 16in | 3.65in | -1.25in | ---- | 3760lbs |
| W166655SM | Wheel 16x6 Modular | Silver | | 6 on 5.5 | 6in | 16in | 4.29in | 0 | ---- | 3760lbs |
| W166655SW | Wheel 16x6 Spoke | White | | 6 on 5.5 | 6in | 16in | 5.15in | 0 | ---- | 3760lbs |
| W1668650SM | Wheel 16x6 Modular | Silver | | 8 on 6.5 | 6in | 16in | 5.15in | 0 | ---- | 3760lbs |
| W166865DFS | Wheel 16x6 Dual | Grey | | 8 on 6.5 | 6in | 16in | 7.88in | 5.5in | 5/8in | 3200lbs |
| W166865DXS | Wheel 16x6 Dual | Grey | | 8 on 6.5 | 6in | 16in | 4.75in | 5.5in | 5/8in | 3200lbs |
| W166865HDMW | Wheel 16x6 Modular | White | | 8 on 6.5 | 6in | 16in | 5.15in | .50in | ---- | 3760lbs |
| W166865OS | Wheel 16x6 OEM | Gray | | 8 on 6.5 | 6in | 16in | 4.90in | .50 | ---- | 3760lbs |
| W166865SM | Wheel 16x6 Modular | Silver | | 8 on 6.5 | 6in | 16in | 5.15in | .50 | ---- | 3760lbs |
| W166865SW | Wheel 16x6 Spoke | White | | 8 on 6.5 | 6in | 16in | 5.125in | 0 | ---- | 3760lbs |
| W166865WM | Wheel 16x6 Modular | White | | 8 on 6.5 | 6in | 16in | 5.15in | 0 | ---- | 3760lbs |
| W16865HDAM | Wheel 16in Modular | Aluminum | Yes | 8 on 6.5 | ---- | 16in | ---- | ---- | ---- | 3200lbs |
| W616-6 | Wheel 16x6 AG | ---- | Yes | 6 on 6.0 | 6in | 16in | 4.625in | -1.5 | ---- | 2800lbs |
| W71-7680 | Wheel 16x6 Spoke | Galvanized | Yes | 8 on 6.5 | 6in | 16in | ---- | ---- | ---- | 3760lbs |
| W97-7660 | Wheel 16x6 w/Rivets Modular | Chrome | | 6 on 5.5 | 6in | 16in | 5.125in | 0 | ---- | 3760lbs |
| W97-7680HD | Wheel 16x6 No Rivets Modular | Chrome | | 8 on 6.5 | 6in | 16in | 5.125 | 0 | ---- | 3760lbs |

16.5 in. - 22.5 in. Wheels



W165675655SW



W1656758DFS



W1656758DXS



W165675COIN



W165975865OS

A: Bolt Pattern **B:** Width **C:** OD **D:** Pilot Hole **E:** Offset **F:** Weight Cap

| Item Number | Description | Color | SO | A | B | C | D | E | F | G |
|----------------------|-----------------------|-------|-----|----------|--------|--------|---------|-----------|-------|---------|
| W1618806AG | Wheel 16.1x11 Ag | ---- | Yes | 8 on 8 | 11in | 16.1in | 6in | -1.50 | ---- | 6000lbs |
| W165675655SW | Wheel 16.5x6.75 Spoke | White | | 6 on 5.5 | 6.75in | 16.5in | 5.125in | 0 | 5/8in | 3530lbs |
| W165675865OS | Wheel 16.5x6.75 OEM | Gray | | 8 on 6.5 | 6.75in | 16.5in | 4.88in | -.50 | 5/8in | 3530lbs |
| W165675865SW | Wheel 16.5x6.75 Spoke | White | | 8 on 6.5 | 6.75in | 16.5in | 5.125in | 0 | 5/8in | 3530lbs |
| W1656758DFS | Wheel 16.5x6.75 Dual | Gray | | 8 on 6.5 | 6.75in | 16.5in | 4.88in | 5.5in | 5/8in | 3000lbs |
| W1656758DXS | Wheel 16.5x6.75 Dual | Gray | | 8 on 6.5 | 6.75in | 16.5in | 4.75in | 5.5in | 5/8in | 3000lbs |
| W175675475865 | Wheel 17.5x6.75 OEM | Gray | Yes | 8 on 6.5 | 6.75in | 17.5in | 4.75in | .31in out | ---- | 6005 |

Trailer: Tire, Wheels & Components



Tire Wheel Combos 8 in. Tire Wheel Combos



TW185858545 TW185858440 TW5708C440

A: Bolt Pattern **B:** OD **C:** Section Width **D:** Pilot Hole **E:** Load Range
F: Weight Cap **G:** Type
SO = Built To Order

| Item Number | Description | Color | A | B | C | D | E | F | G |
|-------------|--------------------|-------|----------|--------|-------|--------|--------|--------|------|
| TW185858440 | TW 18.5-8.5-8C OEM | White | 4 on 4 | 18in | 8.4in | 2.75in | C 6ply | 940lbs | Bias |
| TW185858545 | TW 18.5-8.5-8C OEM | White | 5 on 4.5 | 18.2in | 8.5in | 2.75in | C 6ply | 940lbs | Bias |
| TW4808C440 | TW 480-8C OEM | White | 4 on 4 | 16.7in | 4.9in | 2.75in | C 6ply | 745lbs | Bias |
| TW4808C545 | TW 480-8C OEM | White | 5 on 4.5 | 16.7in | 4.9in | 2.75in | C 6ply | 745lbs | Bias |
| TW5708C440 | TW 570-8C OEM | White | 4 on 4 | 18.5in | 5.9in | 2.75in | C 6ply | 910lbs | Bias |
| TW5708C545 | TW 570-8C OEM | White | 5 on 4.5 | 18.5in | 5.9in | 2.75in | C 6ply | 910lbs | Bias |

10 in. Tire Wheel Combos



TW205810D440

A: Bolt Pattern **B:** OD **C:** Section Width **D:** Pilot Hole **E:** Load Range
F: Weight Cap **G:** Type
SO = Built To Order

| Item Number | Description | Color | A | B | C | D | E | F | G |
|---------------|----------------|-------|----------|--------|-----|--------|---------|---------|------|
| TW130612B205E | TW 20.5-8.0-10 | White | 5 on 4.5 | 20.6in | 8in | 2.75in | E 10ply | 1535lbs | Bias |
| TW205810D440 | TW 20.5-8.0-10 | White | 4 on 4 | 20.5in | 8in | 2.75in | D 8ply | 1330lbs | Bias |
| TW205810D545 | TW 20.5-8.0-10 | White | 5 on 4.5 | 20.5in | 8in | 2.75in | D 8ply | 1330lbs | Bias |

12 in. Tire Wheel Combos



TW48012C545WS TW53012C440WS TW53012C545MW

A: Bolt Pattern **B:** OD **C:** Section Width **D:** Pilot Hole **E:** Load Range
F: Weight Cap **G:** Type
SO = Built To Order

| Item Number | Description | Color | SO | A | B | C | D | E | F | G |
|---------------|-------------------------|------------|-----|----------|--------|-------|---------|--------|---------|------|
| TW48012545GS | TW 480-12 Spoke | Galvanized | Yes | 5 on 4.5 | 20.5in | 4.9in | 2.875in | C 6ply | 990lbs | Bias |
| TW48012545MW | TW 480-12C Modular | White | Yes | 5 on 4.5 | 20.5in | 4.9in | 2.875in | C 6ply | 990lbs | Bias |
| TW48012C440WS | TW 480-12C Spoke | White | | 4 on 4 | 20.5in | 4.9in | 2.625in | C 6ply | 990lbs | Bias |
| TW48012C545WS | TW 480-12C Spoke | White | | 5 on 4.5 | 20.5in | 4.9in | 2.75in | C 6ply | 990lbs | Bias |
| TW511408-545 | T23x10.5x12 W12x8.8 | ---- | Yes | 5 on 4.5 | ---- | ---- | ---- | ---- | ---- | ---- |
| TW53012C440WS | TW 530-12 Spoke | White | | 4 on 4 | 21.9in | 5.4in | 2.625in | C 6ply | 1045lbs | Bias |
| TW53012C545MW | TW 530-12 Modular | White | | 5 on 4.5 | 21.4in | 5.5in | 2.875in | C 6ply | 1045lbs | Bias |
| TW53012C545WS | TW 530-12C Spoke | White | | 5 on 4.5 | 21.4in | 5.5in | 2.75in | C 6ply | 1045lbs | ---- |
| TW712412B480C | TW Combo 4.80-12C Spoke | Galvanized | Yes | ---- | ---- | ---- | ---- | ---- | ---- | ---- |
| TW912412B480C | TW 480-12C Modular | Galvanized | Yes | 5 on 4.5 | 20.5in | 4.9in | 2.75in | C 6ply | 990lbs | Bias |
| TW912412B530C | TW 530-12 Modular | Galvanized | Yes | 5 on 4.5 | 21.4in | 5.5in | 2.75in | C 6ply | 1045lbs | Bias |

Trailer: Tire, Wheels & Components

Tire Wheel Combos

13 in. Tire Wheel Combos



TW13144SW



TW13145MW

A: Bolt Pattern **B:** OD **C:** Section Width **D:** Pilot Hole **E:** Load Range
F: Weight Cap **G:** Type
 SO = Built To Order

| Item Number | Description | Color | SO | A | B | C | D | E | F | G |
|------------------------|-----------------------|------------|-----|----------|--------|-------|---------|--------|---------|--------|
| TW13144SW | TW 175-80D13C Spoke | White | | 4 on 4 | 23.8in | 7.1in | 2.625in | C 6ply | 1360lbs | Bias |
| TW13145GM | TW 175-80D13C Modular | Galvanized | Yes | 5 on 4.5 | 23.8in | 7.1in | 2.95in | C 6ply | 1360lbs | Bias |
| TW13145MW | TW 175-80D13C Modular | White | | 5 on 4.5 | 23.8in | 7.1in | 2.95in | C 6ply | 1360lbs | Bias |
| TW13145SM | TW 175-80D13C Modular | Silver | Yes | 5 on 4.5 | 24in | 7in | 2.95in | C 6ply | 1360lbs | Bias |
| TW13145SW | TW 175-80D13C Spoke | White | | 5 on 4.5 | 23.8in | 7.1in | 2.95in | C 6ply | 1360lbs | Bias |
| TW17580R13440SW | TW 175-80R13C Spoke | White | Yes | 4 on 4 | 24in | 7in | 2.625in | C 6ply | 1360lbs | Radial |
| TW17580R13545CM | TW 175-80R13C Modular | Chrome | Yes | 5 on 4.5 | 24in | 7in | 2.95in | C 6ply | 1360lbs | Radial |
| TW17580R13545GM | TW 175-80R13C Modular | Galvanized | Yes | 5 on 4.5 | 24in | 7in | 2.95in | C 6ply | 1360lbs | Radial |
| TW17580R13545MW | TW 175-80R13C Modular | White | Yes | 5 on 4.5 | 24in | 7in | 2.95in | C 6ply | 1360lbs | Radial |
| TW17580R13545SM | TW 175-80R13C Modular | Silver | Yes | 5 on 4.5 | 24in | 7in | 2.95in | C 6ply | 1360in | Radial |
| TW17580R13545SW | TW 175-80R13C Spoke | White | Yes | 5 on 4.5 | 24in | 7in | 2.95in | C 6ply | 1360lbs | Radial |
| TW1851344WS | TW 185-80D13C Spoke | White | | 4 on 4 | 23.8in | 7.1in | 2.625in | C 6ply | 1360lbs | Bias |
| TW18513545GM | TW 185 13x4.5 Modular | Galvanized | Yes | 5 on 4.5 | 23.8in | 7.1in | 2.625in | C 6ply | 1360lbs | Bias |
| TW18513545WS | TW 185-80D13C Spoke | White | | 5 on 4.5 | ---- | ---- | ---- | C 6ply | 1360lbs | Bias |
| TW973512B175C | TW 175-80R13C Spoke | Chrome | Yes | 5 on 4.5 | 23.8in | 7.1in | 2.95in | C 6ply | 1360lbs | Bias |

14 in. - 14.5 in. Tire Wheel Combos



TW14245SW



TW146545MW

A: Bolt Pattern **B:** OD **C:** Section Width **D:** Pilot Hole **E:** Load Range
F: Weight Cap **G:** Type
 SO = Built To Order

| Item Number | Description | Color | SO | A | B | C | D | E | F | G |
|------------------------|------------------------|------------|-----|----------|--------|-------|--------|--------|---------|--------|
| TW14245SW | TW 205-75D14C Spoke | White | | 5 on 4.5 | 26in | 8.2in | 3.25in | C 6ply | 1760lbs | Bias |
| TW145655BW | TW 14.5 LRF OEM | Black | Yes | 6 on 5.5 | ---- | ---- | ---- | ---- | ---- | ---- |
| TW146545GM | TW 205-75D14C Modular | Galvanized | Yes | 5 on 4.5 | 26in | 8.2in | 3.25in | C 6ply | 1760lbs | Bias |
| TW146545MW | TW 205 75D14 C Modular | White | | 5 on 4.5 | 26in | 8.2in | 3.25in | C 6ply | 1760lbs | Bias |
| TW20575R14545GM | TW 205-75R14C Modular | Galvanized | Yes | 5 on 4.5 | 26.5in | 7.9in | 3.25in | C 6ply | 1760lbs | Radial |
| TW20575R14545MW | TW 205-75R14C Modular | White | Yes | 5 on 4.5 | 26.5in | 7.9in | 3.25in | C 6ply | 1760lbs | Radial |
| TW20575R14545SM | TW 205-75R14C Spoke | White | | 5 on 4.5 | 26.5in | 7.9in | 3.25in | C 6ply | 1760lbs | Radial |
| TW20575R14SM | TW 205-75R14 Modular | Silver | Yes | 5 on 4.5 | 26.5in | 7.9in | 3.25in | C 6ply | 1760lbs | Radial |
| TW205R555SW | TW 205R/15x6 SW | ---- | Yes | 5 on 5.5 | ---- | ---- | ---- | ---- | ---- | ---- |
| TW974612B205C | TW 205-75D14C Modular | Chrome | Yes | 5 on 4.5 | 26.5in | 7.9in | 3.25in | C 6ply | 1760lbs | Bias |
| W146545GS | Wheel 14x6 Spoke | Galvanized | Yes | 5 on 4.5 | 26.5in | ---- | 3.25in | C 6ply | 1760lbs | ---- |



Tire & Wheel Components



Tire Wheel Combos 15 in. Tire Wheel Combos 205 Series Tire



A: Bolt Pattern **B:** OD **C:** Section Width **D:** Pilot Hole **E:** Load Range **F:** Weight Cap **G:** Type
SO = Built To Order

| Item Number | Description | Color | SO | A | B | C | D | E | F | G |
|-----------------|---------------------------------|------------|-----|-----------|--------|-------|--------|--------|---------|--------|
| TW15165SW | TW 205-75D15X6 Spoke | White | | 5 on 4.5 | 26.9in | 8in | 3.75in | C 6ply | 1820lbs | Bias |
| TW155205D545SW | TW 205-75D15X5 Spoke | White | | 5 on 4.5 | 27.1in | 8.1in | 3.75in | C 6ply | 1820lbs | Bias |
| TW155205R545SW | TW 205-75R15C Spoke | White | Yes | 5 on 4.5 | 27.1in | 8.1in | 3.3in | C 6ply | 1820lbs | Radial |
| TW155545WM205C | TW 205-75D15 Modular | White | | 5 on 4.5 | ---- | ---- | ---- | C | ---- | ---- |
| TW155550MS | TW 205-75D15C Modular | Silver | | 5 on 5 | 27.1in | 8.1in | 3.3in | C 6ply | 1820lbs | Bias |
| TW155550SW | TW 205-75 15C Spoke | White | | 5 on 5 | 27.1in | 8.1in | 3.3in | C 6ply | 1820lbs | Bias |
| TW156205545GM | TW 205-75D15C Modular | Galvanized | Yes | 5 on 4.5 | 36.9in | 8in | 3.3in | C 6ply | 1820lbs | Bias |
| TW156545MW | TW 205-75D15C No Rivets Modular | White | | 5 on 4.5 | 36.9in | 6in | 3.75in | C 6ply | 1820lbs | Bias |
| TW1565475SW | TW 205-75D15C | White | | 5 on 4.75 | 27.3in | 7.8in | 3.3in | C 6ply | 1820lbs | Bias |
| TW156550MW | TW 205-75D15C No Rivets Modular | White | | 5 on 5 | 36.9in | 8in | 3.3in | C 6ply | 1820lbs | Bias |
| TW156550SW | TW 205-75D15C | White | | 5 on 5 | 27.3in | 7.8in | 3.3in | C 6ply | 1820lbs | Bias |
| TW156555WS | TW 205-75D15C Spoke | White | Yes | 5 on 5.5 | 27.3in | 7.8in | 3.3in | C 6ply | 1820lbs | Bias |
| TW156655MS | TW 205-75D15C No Rivets Modular | Silver | Yes | 6 on 5.5 | 27in | 8in | 4.25in | C 6ply | 1820lbs | Bias |
| TW20515545CM | TW 205/75D15X6 Modular | Chrome | | 5 on 4.5 | ---- | ---- | ---- | ---- | ---- | ---- |
| TW205155475SW | TW 205/75R15C15x6 Spoke | White | Yes | 5 on 4.75 | ---- | ---- | ---- | ---- | ---- | ---- |
| TW205156545SM | TW 205/75R Modular | Silver | Yes | 5 on 4.5 | ---- | ---- | ---- | ---- | ---- | ---- |
| TW20515655CM | TW 205/75D 15x6 Modular | Chrome | Yes | 6 on 5.5 | ---- | ---- | ---- | ---- | ---- | ---- |
| TW20515655MW | TW205-75D15 Modular | | Yes | 6 on 5.5 | ---- | ---- | ---- | ---- | ---- | Bias |
| TW20515R545MW | TW 205-75R15C Modular | White | | 5 on 4.5 | 27.1in | 8.1in | 3.3in | C 6ply | 1820lbs | Radial |
| TW20515R545SW | TW 205-75R15C Spoke | White | | 5 on 4.5 | 27.1in | 8.1in | 3.3in | C 6ply | 1820lbs | Radial |
| TW20515R550MW | TW 205-75R15C Modular | White | Yes | 5 on 5 | 27in | 8.1in | 3.3in | C 6ply | 1820lbs | Radial |
| TW20515R550SW | TW 205-75R15C Spoke | White | | 5 on 5 | 27in | 8.1in | 3.3in | C 6ply | 1820lbs | Radial |
| TW20515R655MW | TW 205-75R15C Modular | White | Yes | 6 on 5.5 | 27in | 8.1in | 3.3in | C 6ply | 1820lbs | Radial |
| TW20575D15545AM | TW 205-75D15C Modular | Aluminum | | 5 on 4.5 | 36.9in | 7.8in | 3in | C 6ply | 1820lbs | Radial |
| TW20575R15545AM | TW 205-75R15C Modular | Aluminum | Yes | 5 on 4.5 | 27in | 8.1in | 3in | C 6ply | 1820lbs | Radial |
| TW205D15655SW | TW 205-75D15 Spoke | White | Yes | 6 on 5.5 | 27.1in | 8.1in | 3.3in | C 6ply | 1820lbs | Bias |
| TW795612Y205C | TW 205-75R15C Marathon Spoke | Silver | Yes | 5 on 4.5 | 27.1 | 8in | 3.75 | C 6ply | 1820lbs | Bias |
| TW965612B205C | TW 205-75D15 Modular | Silver | | 5 on 4.5 | 27.1in | 7.8in | 3.75in | C 6ply | 1820lbs | Bias |
| TW965612Y205C | TW 205-75R15 Marathon Modular | Silver | Yes | 5 on 4.5 | 27.1in | 8in | 3.75in | C 6ply | 1820lbs | Radial |
| TW965660Y205C | TW 205-75R15C Marathon Modular | Silver | Yes | 6 on 5.5 | 27.1in | 8in | 4.25in | C 6ply | 1820lbs | Radial |



Notes:

Tire Wheel Combos

15 in. Tire Wheel Combos

225 Series Tire



A: Bolt Pattern **B:** OD **C:** Section Width **D:** Pilot Hole **E:** Load Range **F:** Weight Cap **G:** Type
SO = Built To Order

| Item Number | Description | Color | SO | A | B | C | D | E | F | G |
|------------------------|--------------------------------|--------|-----|----------|--------|-------|--------|---------|---------|--------|
| TW15286MS | TW 225-75D15D Modular | Silver | Yes | 6 on 5.5 | 28.3in | 8.6in | 4.25in | D 8ply | 2540lbs | Bias |
| TW15286MW | TW 225-75D15D Modular | White | | 6 on 5.5 | 28.3in | 8.7in | 4.25in | D 8ply | 2540lbs | Bias |
| TW15286OS | TW 225-75D15D OEM | Silver | Yes | 6 on 5.5 | 28.3in | 8.7in | 4.25in | D 8ply | 2540lbs | Bias |
| TW15286SW | TW 225-75D15D Spoke | White | | 6 on 5.5 | 28.3in | 8.7in | 4.25in | D 8ply | 2540lbs | Bias |
| TW22515R545GDYR | TW 225-75R15D Spoke | White | Yes | 5 on 4.5 | 28.3in | 8.8in | 3.3in | D 8ply | 1820lbs | Radial |
| TW22515R655GDYR | TW 225-75R15D Spoke | White | Yes | 6 on 6.5 | 28.3in | 8.8in | 4.25in | D 8ply | 2540lbs | Radial |
| TW22515R655GYC | TW 225-75R15C Spoke | White | Yes | 6 on 5.5 | 28.3in | 8.8in | 4.25in | D 8ply | 2540lbs | Radial |
| TW22515R655MW | TW 225-75R15D Modular | White | | 6 on 5.5 | 28.3in | 8.8in | 4.28in | D 8ply | 2540lbs | Radial |
| TW22515R655SW | TW 225-75R15D Spoke | White | | 6 on 5.5 | 28.3in | 8.8in | 4.28in | D 8ply | 2540lbs | Radial |
| TW2257515655CM | TW 225/75 15 Modular | Chrome | Yes | 6 on 5.5 | ---- | ---- | ---- | ---- | ---- | Bias |
| TW22575D15545MW | TW 225-75D15D Modular | White | Yes | 5 on 4.5 | 28.3in | 8.7in | 3.3 | D 8ply | 1820lbs | Bias |
| TW22575D15545SW | TW 225-75D15D Spoke | White | Yes | 5 on 4.5 | 28.3in | 8.7in | 3.3 | D 8ply | 1820lbs | Bias |
| TW22575R15545D | TW 225-75R15D Spoke | White | | 5 on 4.5 | 28.3 | 8.8in | 3.3in | D 8ply | 1820lbs | Radial |
| TW22575R15550SW | TW 225-75R15D Spoke | White | Yes | 5 on 5 | 28.3in | 8.8in | 3.3in | D 8ply | 2150lbs | Radial |
| TW22575R15655CM | TW 225/75-15D Imprd Modular | Chrome | Yes | 6 on 5.5 | ---- | ---- | ---- | ---- | ---- | ---- |
| TW22575R545SC | TW 225-75R15D Spoke | Chrome | Yes | 28.3in | 8.8in | 3.3in | D 8ply | 2150lbs | Radial | |
| TW935660Y225D | TW 225-75R15D Marathon Modular | White | Yes | 6 on 5.5 | 28.3in | 8.8in | 4.25in | D 8ply | 2540lbs | Radial |
| TW965660Y225D | TW 225-75R15D Marathon Modular | Silver | Yes | 6 on 5.5 | 28.3in | 8.8in | 4.25in | D 8ply | 2540lbs | Radial |

700 Series Tire



A: Bolt Pattern **B:** OD **C:** Section Width **D:** Pilot Hole **E:** Load Range **F:** Weight Cap **G:** Type
SO = Built To Order

| Item Number | Description | Color | SO | A | B | C | D | E | F | G |
|---------------------|--------------------|-------|-----|----------|--------|------|--------|--------|---------|------|
| TW70015655SW | TW 700-15 Spoke | White | | 6 on 5.5 | 29.6in | 8in | 3.75in | D 8ply | 2080lbs | Bias |
| TW70015MW | TW 700-15D Modular | White | Yes | 5 on 4.5 | 29.6in | 8in | 3.75in | D 8ply | 2080lbs | Bias |
| TW70015SW | TW 700-15 Spoke | White | Yes | 5 on 4.5 | ---- | ---- | ---- | ---- | ---- | Bias |



Tire Wheel Combos

16 in. Tire Wheel Combos

235 Series Tire



A: Bolt Pattern B: OD C: Section Width D: Pilot Hole E: Load Range F: Weight Cap G: Type
SO = Built To Order

| Item Number | Description | Color | SO | A | B | C | D | E | F | G |
|------------------|--------------------------------|--------|-----|----------|--------|-------|---------|---------|---------|--------|
| TW16685DXS | TW 235-85R16E Dual | Grey | Yes | 8 on 6.5 | 31in | 9.7in | 4.75in | E 10ply | 3000lbs | Radial |
| TW166865DFS | TW 235-85R16E Dual | Grey | Yes | 8 on 6.5 | 31in | 9.7in | 4.88in | E 10ply | 3000lbs | Radial |
| TW23516865CM | TW 235/80 16 Heavy Duty | Chrome | Yes | 8 on 6.5 | ---- | ---- | ---- | ---- | ---- | ---- |
| TW23580R16655MS | TW 235-80R16 16x6 Modular | Silver | Yes | 6 on 5.5 | 30.8in | 9.5in | 4.29in | E 10ply | 3500lbs | Radial |
| TW23580R16655MW | TW 235/80R16 Modular | White | Yes | 8 on 6.5 | ---- | ---- | ---- | ---- | ---- | ---- |
| TW23580R16655SW | TW 235-80R16 16x6 Spoke | White | Yes | 6 on 5.5 | 30.8in | 9.5in | 5.125in | E 10ply | 3500lbs | Radial |
| TW23580R16865MS | TW235-80R16 .50 offset Modular | Silver | Yes | 8 on 6.5 | 30.8in | 9.5in | 5.15in | E 10ply | 3500lbs | Radial |
| TW23580R16865MW | TW 235-80R16E Modular | White | | 8 on 6.5 | 30.8in | 9.5in | 5.125in | E 10ply | 3500lbs | Radial |
| TW23580R16865OS | TW 235-80R16E 16x6 OEM | ---- | Yes | 8 on 6.5 | 30.8in | 9.5in | 4.90in | E 10ply | 3500lbs | Radial |
| TW23580R16865SM | TW 235/80R16 Modular | Silver | Yes | 8 on 6.5 | ---- | ---- | ---- | ---- | ---- | ---- |
| TW23580R16865SW | TW 235-80R16E Spoke | White | | 8 on 6.5 | 30.8in | 9.5in | 5.125in | E 10ply | 3500lbs | Radial |
| TW23580R16DFS | TW 235-80R16 Dual Flat | grey | Yes | 8 on 6.5 | 30.8in | 9.5in | 4.88in | E 10ply | 3080lbs | Radial |
| TW23580R16DXS | TW 235-80R16 Dual Flat | grey | Yes | 8 on 6.5 | 30.8in | 9.5in | 4.75in | E 10ply | 3080lbs | Radial |
| TW23580R8650MS | TW235/80R16 0 offset Modular | Silver | | 8 on 6.5 | ---- | ---- | ---- | ---- | ---- | ---- |
| TW23585R16865MW | TW 235-85R16E Modular | White | | 8 on 6.5 | 31in | 8.8in | 5.125in | E 10ply | 3042lbs | ---- |
| TW23585R16865OS | TW 235-85R16E OEM | White | | 8 on 6.5 | 31in | 8.8in | 4.88in | E 10ply | 3042lbs | Radial |
| TW23585R16865SW | TW 235-85R16E Spoke | White | | 8 on 6.5 | 31in | 8.8in | 5.125in | E 10ply | 3042lbs | Radial |
| TW23585R168SM | TW LT235-85R16 Modular | Silver | Yes | 8 on 6.5 | 31in | 8.8in | 5.125in | F 12ply | 3042lbs | Radial |
| TW23585R16SWG DY | TW 235-85R16E Spoke | White | Yes | 8 on 6.5 | 31in | 9in | 5.125 | E 10ply | 3042lbs | Radial |
| TW24575R16865 | TW LT245/75R16 OEM | ---- | Yes | ---- | ---- | ---- | ---- | ---- | ---- | ---- |
| TW967680Y235D | TW 235-80R16D Marathon Modular | Silver | Yes | 8 on 6.5 | 30.8in | 9.5in | 5.125in | E 10ply | 3500lbs | Radial |

660 Series Tire



A: Bolt Pattern B: OD C: Section Width D: Pilot Hole E: Load Range F: Weight Cap G: Type
SO = Built To Order

| Item Number | Description | SO | A | B | C | D | E | F | G |
|-------------|-------------------|-----|--------|--------|------|------|--------|------|------|
| TW11L16660 | TW 11L165 16x8 AG | Yes | 6 on 6 | 31.8in | 11in | ---- | D 8ply | ---- | Bias |

Trailer: Tire, Wheels & Components

Tire Wheel Combos

16 in. Tire Wheel Combos

750 Series Tire



A: Bolt Pattern B: OD C: Section Width D: Pilot Hole E: Load Range F: Weight Cap G: Type
SO = Built To Order

| Item Number | Description | Color | SO | A | B | C | D | E | F | G |
|----------------------|-------------------------------|--------|-----|----------|--------|--------|---------|---------|---------|--------|
| TW75016655FMW | TW 750-16F Modular | White | Yes | 6 on 5.5 | --- | --- | --- | --- | --- | --- |
| TW75016655FSW | TW 750-16F Spoke | White | | 6 on 5.5 | 31.7in | 8.46in | 4.16in | F 12ply | 3070lbs | Bias |
| TW7501665E | TW 750-16E Spoke | White | | 6 on 5.5 | 31.7in | 8.46in | 4.16in | E 10ply | 2780lbs | Bias |
| TW75016865FMW | TW 750-16F Modular | White | Yes | 8 on 6.5 | 31.7in | 8.46in | 4.16in | F 12ply | 3070lbs | Bias |
| TW75016865FSM | TW 750-16F Modular | Silver | Yes | 8 on 6.5 | 31.7in | 8.46in | 4.16in | F 12ply | 3070lbs | Bias |
| TW75016865FSW | TW 750-16F Spoke | White | Yes | 8 on 6.5 | 31.7in | 8.46in | 4.16in | F 12ply | 3070lbs | Bias |
| TW75016865WS | TW 750-16E Spoke | White | | 8 on 6.5 | 31.7in | 8.46in | 3.75in | E 10ply | 2780lbs | Bias |
| TW75016E865SM | TW 750-16LTE Modular | Silver | Yes | 8 on 6.5 | 31.7in | 8.4in | 5.15in | E 10ply | 2750lbs | Bias |
| TW967680Y750E | TW 750-16LTE Marathon Modular | Silver | Yes | 8 on 6.5 | 31.7in | 8.4in | 5.125in | E 10ply | 2750lbs | Radial |

G614 Series Tire



A: Bolt Pattern B: OD C: Section Width D: Pilot Hole E: Load Range F: Weight Cap G: Type
SO = Built To Order

| Item Number | Description | Color | SO | A | B | C | D | E | F | G |
|-----------------------|----------------------|-------|-----|----------|--------|-------|---------|---------|---------|------|
| TWG614865MWGDY | TW G614 16x6 Modular | White | Yes | 8 on 6.5 | 30.7in | 9.5in | 5.125in | G 14ply | 3750lbs | Bias |

16.5 in. - 22.5 in. Tire Wheel Combos

A: Bolt Pattern B: OD C: Section Width D: Pilot Hole E: Load Range
F: Weight Cap G: Type
SO = Built To Order

| Item Number | Description | Color | SO | A | B | C | D | E | F | G |
|------------------------|-----------------------------|-------|-----|----------|---------|--------|--------|---------|---------|--------|
| TW1200165 | TW 12.00-16.5 OEM | --- | | 8 on 6.5 | 31.6in | 12in | 4.75in | F 12ply | 4045lbs | Bias |
| TW1200165GDY | TW 12.00-16.5 OEM | --- | Yes | 8 on 6.5 | 31.6in | 12in | 4.75 | F 12ply | 4045lbs | Bias |
| TW23517586550OS | TW 17.5-6.5 Flat .50 Offset | --- | Yes | 8 on 6.5 | 31.37in | 9.25in | 4.75in | E 16ply | 6000lbs | Radial |
| TW235175865O | TW 235-R175 Single 0 Offset | --- | Yes | 8 on 6.5 | 31.37in | 9.25in | 4.75in | E 16ply | 6000lbs | --- |
| TW950165865O | TW 950-16.5E OEM | Gray | Yes | 8 on 6.5 | 30.7in | 9.48in | 4.88in | E 10ply | 3170lbs | Bias |
| TW950165865W | TW 950-16.5 E Spoke | White | Yes | 8 on 6.5 | 30.7in | 9.48in | 4.88in | E 10ply | 3042lbs | Bias |



TW1200165



Tire & Wheel Accessories Tubes



A: Tire Size

| Item Number | Description | SO | A | B |
|-------------|-----------------|-----|--------------|----------|
| TU185858 | Inner Tube Only | Yes | 18.5x8.5 | Tuff-Tow |
| TU480-12 | Tube | | 480 & 530x12 | Tuff-Tow |
| TU4808 | Tube | | 480x8 | Tuff-Tow |
| TU570-8 | Tube Only TR13 | | 570-8 | Tuff-Tow |
| TU-750-16 | Inner Tube LT | | 16in | Tuff-Tow |
| TU-MR14-15 | Tube | | 14-15in | Tuff-Tow |

Valve Stems

A: Diameter B: PSI



| Item Number | Description | Color | A | B | C |
|-------------|--------------------------|--------|--------|-----|----------|
| T-413C | Valve Stem Rubber | Chrome | .453in | 65 | Tuff-Tow |
| T-R413 | Valve Stem Rubber | ---- | .453in | 65 | Tuff-Tow |
| T-R600HP | Valve Stem High Pressure | Metal | .453in | 100 | Tuff-Tow |
| T-R801 | Valve Stem High Pressure | Metal | .625in | 100 | Tuff-Tow |

Wheel Chocks

A: Length B: Width C: Height



| Item Number | Description | SO | A | B | C | D |
|--------------|--------------------------------|-----|---------|------|------|----------|
| FW84-00-4000 | Wheel Chock Fastway ONEStep | | ---- | ---- | ---- | Tuff-Tow |
| FW84-00-4150 | Wheel Chock Fastway ONEStep XL | Yes | ---- | ---- | ---- | Tuff-Tow |
| TCL65 | Wheel Lock | Yes | ---- | ---- | ---- | Trimax |
| TWL100 | Wheel Lock Adjustable | | 10-18in | ---- | ---- | Trimax |
| WC1086 | Wheel Chock w/Chain Eyelet | | 10in | 6in | 8in | Buyers |
| WC1467A | Wheel Chock Rubber | | 5in | 6in | 5in | Buyers |
| WC1468 | Wheel Chock Rubber | | 8in | 5in | ---- | Buyers |
| WC9642Y | Wheel Chock | | 9.5in | 6in | 4in | Buyers |

Mud Flaps



| Item Number | Description | Color | SO | A | B | C |
|-------------|----------------------|-------|-----|------|------|-------|
| 01769 | Mud Flap | ---- | Yes | ---- | ---- | ---- |
| AA1004 | Mud Flaps | ---- | | ---- | ---- | ---- |
| B30SPP | Mud Flap Rubber pair | Black | Yes | 24in | 30in | 1/2in |

Wheel Covers

A: Min Tire Size B: Max Tire Size C: MFG D: Model

See Chart Next Page



| Item Number | Description | Color | A | B | C | D |
|-------------|----------------|------------|---------|---------|---------|---|
| CL76230 | Wheel Cover RV | Snow White | 24in | 26.5in | Classic | 1 |
| CL76240 | Wheel Cover RV | Snow White | 26.75in | 29in | Classic | 2 |
| CL76250 | Wheel Cover | Snow White | 29in | 31.75in | Classic | 3 |
| CL76260 | Wheel Cover | Snow White | 32in | 34.25in | Classic | 4 |



Tire & Wheel Accessories Wheel Covers

RV WHEEL AND SPARE TIRE COVER FIT CHART

| RV WHEEL COVER | | RV WHEEL COVER | | RV WHEEL COVER | | RV WHEEL COVER | |
|-------------------|------------------|-------------------|------------------|-------------------|------------------|-------------------|------------------|
| CUSTOM SPARE TIRE | UNIV. SPARE TIRE | CUSTOM SPARE TIRE | UNIV. SPARE TIRE | CUSTOM SPARE TIRE | UNIV. SPARE TIRE | CUSTOM SPARE TIRE | UNIV. SPARE TIRE |
| 4.00 x 12 | 1 0 | 9.00 R 15 TR | 10 4 | 275 60R 16 | 2 | P185 70R 14 | 2 1 |
| 4.50 x 12 | 1 0 | 9.00 x 15 | 3 | 275 70R 16 | 3 | P185 75R 13 | 3 1 |
| 4.80 x 12 | 1 0 | 9.00 x 16.5 | SM 6 3 | 275 80R 22.5 | 6 | P195 55R 15 | 2 1 |
| 5.00 x 8 | 0 | 9.15 x 15 | SM 6 3 | 850R 14 | 2 | P195 60R 15 | 2 1 |
| 5.30 x 12 | 1 0 | 9.50 x R16.5 | 3 | 950 75R 15 | 3 | P195 65R 14 | 2 1 |
| 5.70 x 8 | 0 | 9.50 x 16.5 | 3 | 29 x 9.50R 15 LT | SM 5 | P195 65R 15 | 2 1 |
| 6.00 x 9 | 1 0 | 9.70 x 15 | 2 | 30 x 9.50R 15 LT | SM 6 3 | P195 70R 13 | 2 1 |
| 6.00 x 13 | SM 1 1 | 10.0 x 16.5 | 3 | 31 x 10.50R 15 LT | LRG 7 3 | P195 75R 14 | SM 4 2 |
| 6.00 x 16 | SM 6 2 | 10.0 x 17.5 | 3 | 31 x 11.50R 15 LT | LRG 7 3 | P205 55R 15 | SM 2 1 |
| 6.40 x 15 | SM 4 | 10 R 22.5 | 4 | 32 x 11.50R 15 LT | LRG 8 3 | P205 55R 16 | SM 2 1 |
| 6.50R 16 LT | SM 6 3 | 11 19.5 | 4 | 33 x 12.50R 15 LT | LRG 9 | P205 60R 14 | SM 2 1 |
| 6.50 x 10 | 2 1 | 11 x 15 | 4 | A78 x 13 | 2 1 | P205 60R 15 | SM 2 1 |
| 6.50 x 13 | 2 1 | 12 x 16.5 | 4 | B78 x 13 | 2 1 | P205 65R 15 | SM 3 1 |
| 6.50 x 15 | SM 5 2 | ALL 19" WHEELS | 4 | B78 x 15 | SM 5 2 | P205 70R 14 | SM 3 1 |
| 6.50 x 16 | SM 6 3 | 20 x 8 x 10 | 0 | C78 x 13 | 2 1 | P205 75R 14 | SM 4 2 |
| 6.50 x 20 | SM 10 4 | 20.5 x 8 x 10 | 0 | E78 x 14 | 3 2 | P205 75R 15 | SM 4 2 |
| 6.70R 15 LT | SM 5 2 | 70R 19.5 | 4 | E78 x 15 | 3 1 | P215 55R 16 | SM 2 1 |
| 6.90 x 9 | 3 | 155 80R 13 | 1 | F70 x 14 | 3 1 | P215 60R 15 | SM 3 1 |
| 6.95 x 14 | 3 1 | 155 80R 14 | 1 | F78 x 14 | 3 2 | P215 60R 16 | SM 3 1 |
| 7.00 x 13 | 3 1 | 155 80R 15 | 1 | F78 x 15 | SM 4 3 | P215 65R 14 | SM 5 2 |
| 7.00 x 14 | 2 | 165 80R 13 | 1 | G78 x 14 | SM 4 2 | P215 65R 15 | SM 3 1 |
| 7.00 x 14.5 | SM 4 2 | 165 80R 14 | 1 | G78 x 15 | SM 4 2 | P215 70R 14 | SM 3 1 |
| 7.00 x 15 | SM 6 3 | 165 80R 15 | 1 | H70 x 14 | SM 4 2 | P215 75R 14 | SM 5 2 |
| 7.00R 15 LT | SM 6 3 | 175 80R 13 | 1 | H70 x 15 | SM 6 2 | P225 50R 15 | SM 2 1 |
| 7.00 x 16 | LRG 8 3 | 175 80R 14 | 1 | H78 x 14 | SM 4 2 | P225 55R 15 | SM 2 1 |
| 7.00 x 17.5 | 3 | 185 70R 14 | 1 | H78 x 15 | SM 5 2 | P225 55R 16 | SM 3 1 |
| 7.00 x 18 | 10 4 | 185 75R 13 | 1 | H78 x 16 | LRG 8 3 | P225 55R 17 | SM 4 2 |
| 7.10 x 15 | SM 6 2 | 195 75R 15 | 2 | J78 x 14 | SM 6 2 | P225 70R 14 | SM 4 2 |
| 7.35 x 14 | SM 4 2 | 205 75R 14 | 2 | J78 x 15 | 2 | P225 75R 14 | SM 5 2 |
| 7.35 x 15 | 2 | 205 75R 15 | 2 | L78 x 15 | SM 5 3 | P225 75R 15 | SM 6 3 |
| 7.50 x 10 | SM 6 3 | 205 75R 16 | 3 | LT175 75R 14 | 2 1 | P235 45R 17 | SM 2 1 |
| 7.50 x 14 | SM 4 2 | 215 70R 15 | 2 | LT185 75R 14 | 2 1 | P235 55R 16 | SM 3 1 |
| 7.50 x 15 | 8 2 | 215 75R 14 | 2 | LT195 75R 14 | 3 1 | P235 60R 14 | SM 3 1 |
| 7.50R 15 TR | LRG 8 3 | 215 75R 15 | 2 | LT195 75R 15 | 3 1 | P235 60R 15 | SM 4 2 |
| 7.50R 16 LT | LRG 8 3 | 215 85R 16 | 3 | LT205 75R 15 | SM 4 2 | P235 75R 15 | SM 6 |
| 7.50 x 16 | LRG 8 3 | 225 60R 16 | 1 | LT215 70R 14 | 3 1 | P238 75R 15 | SM |
| 7.50 x 17 | 10 | 225 70R 14 | 2 | LT215 75R 14 | SM 4 2 | P245 40R 17 | SM 2 1 |
| 7.60 x 15 | LRG 8 3 | 225 70R 15 | 2 | LT215 75R 15 | SM 4 2 | P245 45R 16 | SM 2 1 |
| 7.75 x 14 | SM 4 2 | 225 70R 19.5 | LRG 8 4 | LT215 85R 16 | LRG 7 3 | P245 45R 17 | SM 3 |
| 7.75 x 15 | 2 2 | 225 75R 15 | 2 | LT225 75R 16 | SM 6 3 | P245 50R 16 | SM 3 1 |
| 8 R 19.5 | 10 4 | 225 75R 16 | 3 | LT235 70R 16 | SM 5 2 | P245 60R 14 | SM 3 1 |
| 8.00 x 14 | SM 4 2 | 235 60R 14 | 1 | LT235 75R 15 | SM 5 2 | P245 60R 16 | SM 3 1 |
| 8.00 x 14.5 | SM 5 2 | 235 60R 16 | 2 | LT235 85R 16 | LRG 8 3 | P255 45R 17 | SM 3 1 |
| 8.00 x 15 | SM 5 2 | 235 70R 15 | 2 | LT245 70R 15 | SM 5 2 | P255 55R 14 | SM 2 1 |
| 8.00 x 16 | SM 5 2 | 235 75R 15 | 2 | LT245 75R 16 | LRG 7 3 | P255 55R 15 | SM 3 1 |
| 8.00 x 16.5 | SM 6 3 | 235 75R XL | 2 | LT255 70R 15 | SM 6 3 | P255 60R 15 | SM 3 1 |
| 8.00 x 17.5 | LRG 8 3 | 235 85R 16 | 3 | LT255 70R 16 | LRG 7 3 | P255 65R 15 | SM 5 2 |
| 8.00 x 19.5 | 10 | 245 50R 15 | 1 | LT255 75R 15 | LRG 7 3 | P265 45R 16 | SM 2 1 |
| 8.15 x 15 | 2 | 245 50R 16 | 1 | LT255 85R 16 | LRG 9 | P275 40R 17 | SM 3 1 |
| 8.25 x 14 | SM 4 2 | 245 60R 14 | 1 | LT265 70R 15 | SM 6 3 | P275 60R 17 | SM 7 3 |
| 8.25 x 15 | 10 2 | 245 60R 15 | 1 | LT265 75R 16 | LRG 8 3 | P285 35R 17 | SM 2 1 |
| 8.25R x 15 TR | 10 | 245 70R 15 | 3 | LT275 70R 16 | LRG 8 3 | P285 40R 17 | SM 3 1 |
| 8.25 x 16 | 10 4 | 245 70R 19.5 | 10 4 | LT285 60R 17 | LRG 7 3 | P315 35R 17 | SM 3 1 |
| 8.45 x 15 | SM 5 2 | 245 75R 16 | 3 | LT285 70R 15 | LRG 7 3 | P315 45R 17 | SM 5 2 |
| 8.50 x 14 | SM 2 | 255 60R 15 | 2 | LT285 75R 15 | 4 | P335 35R 17 | SM 3 1 |
| 8.55 x 14 | SM 2 | 255 70R 16 | 3 | LT285 75R 16 | LRG 9 | ST155 80R 13 | SM 1 |
| 8.55 x 15 | SM 2 | 255 70R 22.5 | 5 | LT315 70R 15 | LRG 9 4 | ST175 80R 13 | SM 2 1 |
| 8.75 x 16.5 | SM 6 3 | 255 75R 15 | 3 | P145 80R 12 | 1 | ST185 80R 13 | SM 2 1 |
| 8.85 x 14 | SM 5 2 | 255 85R 16 | 3 | P155 80R 12 | 1 | ST205 75R 14 | SM 3 1 |
| 8.85 x 15 | SM 5 2 | 265 70R 19.5 | 10 4 | P155 80D 16 | 3 1 | ST205 75R 15 | SM 4 2 |
| 9 R 22.5 | 5 | 265 75R 15 | 3 | P165 65R 13 | 1 | ST215 75R 14 | SM 3 1 |
| 9.00 x 10 | SM 5 | 265 75R 16 | 3 | P167 70R 12 | 1 | ST225 75R 13 | SM 5 2 |
| 9.00 x 14.5 | SM 5 | 265 75R 22.5 | 5 | P185 65R 15 | 2 1 | | |

Trailer: Tire, Wheels & Components

Tire & Wheel Accessories Wheel Caps & Accessories



A: Wheel Size B: Wheel Center Hole C: Lug Pattern

| Item Number | Description | Color | SO | A | B | C | D |
|-------------|-------------------------------|-----------|-----|---------|--------|---------|----------|
| 016-035-00 | Hub Cap | Chrome | Yes | ---- | 4.27in | 655 | Dexter |
| 033-052-01 | Clamp Ring For 9/10/12K Axles | ---- | Yes | ---- | ---- | ---- | Dexter |
| 091619 | Center Cap Closed | Chrome | | ---- | 2.95in | ---- | Tuff-Tow |
| 091620 | Center Cap Closed | Chrome | | ---- | 3.3in | 5 | Tuff-Tow |
| 091621 | Center Cap | Chrome | | ---- | 4.25in | 555/655 | Tuff-Tow |
| 091622 | Center Cap | Chrome | | ---- | 5.15in | 865 | Tuff-Tow |
| C282 | Center Cap | ---- | | ---- | ---- | ---- | Tuff-Tow |
| C319 | Cap Closed | Chrome | | ---- | 3.19 | 545 | Tuff-Tow |
| C319-0 | Center Cap | ---- | | ---- | 3.27in | ---- | Tuff-Tow |
| C425 | Cap Closed | Chrome | | ---- | 4.25 | 655 | Tuff-Tow |
| CO319 | Cap Open End NS | Chrome | | Chrome | Chrome | 545 | Tuff-Tow |
| CO425 | Cap Open End NS | Chrome | | ---- | 4.25 | 655 | Tuff-Tow |
| K319TT | Cap Open w/Cover | Stainless | | ---- | ---- | 545 | Tuff-Tow |
| K425 | Cap Closed End | Stainless | | ---- | ---- | 655 | Tuff-Tow |
| K425TT | Cap Open w/Cover | Stainless | | ---- | ---- | 655 | Tuff-Tow |
| K71-404-00 | Center Cap | Black | Yes | ---- | ---- | 545 | Dexter |
| K71-405-00 | Center Cap | Black | | ---- | ---- | 655 | Dexter |
| LC139389 | Hub Cover Plastic | Black | | 4.26 | ---- | ---- | Lippert |
| LC139852 | Hub Cover Plastic | Black | | 3.175 | ---- | ---- | Lippert |
| NF25F | Wheel Liner | ---- | Yes | ---- | ---- | ---- | Phoenix |
| PH1763R | Hub Cover w/Bolt RH | ---- | Yes | ---- | ---- | ---- | Phoenix |
| PH1843 | Hub Cover 8 Lug Bolt-on | ---- | Yes | ---- | ---- | ---- | Phoenix |
| QT545CHN | Hub Cover QuickTrim ABS | Chrome | | ---- | ---- | 545 | Phoenix |
| QT545CHS | Hub Cover QuickTrim ABS | Chrome | | ---- | ---- | 545 | Phoenix |
| QT655CH2 | Hub Cover QuickTrim ABS | Chrome | | ---- | ---- | 655 | Phoenix |
| QT655CLO | Quick Wheel ABS | Chrome | Yes | 15in | ---- | 655 | Phoenix |
| QT765CHN | Hub Cover QuickTrim 7k ABS | Chrome | | ---- | ---- | 865 | Phoenix |
| QT865CHN | Hub Cover QuickTrim 8k ABS | Chrome | | ---- | ---- | 865 | Phoenix |
| ST30 | Tire Lock Cable | Black | | ---- | ---- | ---- | Trimax |
| TR1403 | Trim Ring ABS | Chrome | | 14in | ---- | ---- | Phoenix |
| TR1503 | Trim Ring ABS | Chrome | | 15in | ---- | ---- | Phoenix |
| TR1603 | Trim Ring ABS | Red | | 16in | ---- | ---- | Phoenix |
| WC490 | Club Wheel Lock | Red | | 13-16in | ---- | ---- | Tuff-Tow |
| WC490KA | Club Wheel Lock | Red | Yes | 13-16in | ---- | ---- | Tuff-Tow |
| WC491 | Claw Wheel Lock | Red | | 12in | ---- | ---- | Tuff-Tow |

Tire & Wheel Accessories Wheel Holders / Carrier



| Item Number | Description | SO | A |
|-------------|-----------------------------------|-----|---------|
| 1240 | Tire Carrier Universal Inside Bed | | Cequent |
| 581900 | Tire Carrier Weld-On F2 HD | | Cequent |
| 581901 | Tire Carrier Weld-On F2 SuperD | | Cequent |
| ETCLB 0700 | Tire Carrier Econo Spare | | Cequent |
| HDSTC | Tire Carrier Heavy Duty | | Cequent |
| LC125460 | Tire Rack Sliding | Yes | Lippert |
| LC159056 | Tire Winch w/Off Set Cable | | Lippert |
| STC100 | Tire Carrier 545 & 440 | | Cequent |

**See Reference Guide For
"Spare Tire Carrier Mounting Specifications"**



Notes:



Tire & Wheel Components



It's Fast
It's Easy
It's Fun
Current Pricing
At Your Fingertips
Installation Guides
& Much More!

Stay up to date with our website!
Check your account status!
Shop On-Line 24/7!
Go to www.wholesaletrailer.com

Trailer: Tire, Wheels & Components